

# **Recombinant MSH6 (DNA Mismatch Repair Protein) Antibody**

Rabbit Monoclonal Antibody [Clone MSH6/7065R]


Catalog No	Format	Size
2956-RBM18-P0	Purified Ab with BSA and Azide at 200ug/ml	20 ug
2956-RBM18-P1	Purified Ab with BSA and Azide at 200ug/ml	100 ug
2956-RBM18-P1ABX	Purified Ab WITHOUT BSA and Azide at 1.0mg/ml	100 ug
A 19 /3		

Immunohistochemistry (IHC) 1-2ug/ml 30 min at RT. Staining of formalin-fixed tissues re	Note	Tested Dillution	Applications
	30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes	1-2ug/ml	Immunohistochemistry (IHC)

Product Details		
Clone	MSH6/7065R	
Gene Name	MSH6	
Immunogen	Recombinant fragment of human MSH6 protein (around aa 374-540) (exact sequence is proprietary)	
Host	Rabbit	
Clonality	Monoclonal	
Isotype / Light Chain	IgG / Kappa	
Mol. Weight of Antigen	163kDa	
Cellular Localization	Chromosome, Nucleus	
Species Reactivity	Human	
Positive Control	Human colon carcinoma (IHC).	

\*Optimal dilution for a specific application should be determined.

# Product Images for Recombinant MSH6 (DNA Mismatch Repair Protein) Antibody




Formalin-fixed, paraffin-embedded human ovarian carcinoma stained with MSH6 Recombinant Rabbit Monoclonal Antibody (MSH6/7065R).

kDa	NR	R	
250 —			
150 —	-		
100			
75	-11		
50	_	-	
37			
25	-	-	2ug loading NR=Non- reduced
15			R=reduced
10 —			

SDS-PAGE Analysis of Purified MSH6 Recombinant Rabbit Monoclonal Antibody (MSH6/7065R). Confirmation of Purity and Integrity of Antibody.





Formalin-fixed, paraffin-embedded human salivary gland stained with MSH6 Recombinant Rabbit Monoclonal Antibody (MSH6/7065R).

# **Specificity & Comments**

The finding that mutations in DNA mismatch repair genes are associated with hereditary nonpolyposis colorectal cancer (HNPCC) has resulted in considerable interest in the understanding of the mechanism of DNA mismatch repair. Initially, inherited mutations in the MSH2 and MLH1 homologs of the bacterial DNA mismatch repair genes mutS and mutL were demonstrated at high frequency in HNPCC and were shown to be associated with microsatellite instability. A member of the mismatch repair family, GTBP (also designated MSH6), is an MSH2-related protein that binds to DNA containing G/T mismatches. Findings suggest that the mismatch-binding factor in human cells is composed of a heterodimer of GTBP and MSH2.

## **Supplied As**

200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

#### Storage and Stability

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

## **Research Areas**

Colon Cancer, Infectious Disease, Nuclear Marker

#### **Limitations and Warranty**

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.

