

## Recombinant Annexin A1 / (Hairy Cell Leukemia Marker) Antibody

Mouse Monoclonal Antibody [Clone rANXA1/6451]

| Catalog No      | Format  | Size   |
|-----------------|---|--------|
| 301-MSM11-P0    | Purified Ab with BSA and Azide at 200ug/ml    | 20 ug  |
| 301-MSM11-P1    | Purified Ab with BSA and Azide at 200ug/ml    | 100 ug |
| 301-MSM11-P1ABX | Purified Ab WITHOUT BSA and Azide at 1.0mg/ml | 100 ug |


| Applications               | Tested Dillution | Note  |
|----------------------------|------------------|---|
| Immunohistochemistry (IHC) | 1-2ug/ml         | 30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes |
| Western Blot (WB)          | 2-4ug/ml         |   |

### Product Details


|                               |   |
|-------------------------------|---|
| <b>Clone</b>                  | rANXA1/6451   |
| <b>Gene Name</b>              | ANXA1   |
| <b>Immunogen</b>              | Recombinant full-length human Annexin A1 protein  |
| <b>Host</b>                   | Mouse   |
| <b>Clonality</b>              | Monoclonal  |
| <b>Isotype / Light Chain</b>  | IgG2a / Kappa   |
| <b>Mol. Weight of Antigen</b> | 35kDa   |
| <b>Cellular Localization</b>  | Apical cell membrane, Basolateral cell membrane, Cell membrane, Cell projection, Cilium, Cytoplasm, Cytoplasmic vesicle, Cytoplasmic vesicle membrane, Early endosome, Endosome membrane, Extracellular exosome, Extracellular space, Lateral cell membrane, Membrane, Nucleus, Phagocytic cup, Secreted, Secretory vesicle lumen |
| <b>Species Reactivity</b>     | Human   |
| <b>Positive Control</b>       | HeLa or A549 cells. Human esophagus, Placenta or Prostate.  |

\*Optimal dilution for a specific application should be determined.


### Product Images for Recombinant Annexin A1 / (Hairy Cell Leukemia Marker) Antibody




Formalin-fixed, paraffin-embedded human tonsil stained with Annexin A1 Recombinant Mouse Monoclonal Antibody (rANXA1/6451).



Western Blot Analysis for A549 cell lysate using Annexin A1 Recombinant Mouse Monoclonal Antibody (rANXA1/6451).



SDS-PAGE Analysis of Purified Annexin A1 Recombinant Mouse Monoclonal Antibody (rANXA1/6451). Confirmation of Purity and Integrity of Antibody.



Formalin-fixed, paraffin-embedded human tonsil stained with Annexin A1 Recombinant Mouse Monoclonal Antibody (rANXA1/6451).

### Specificity & Comments

The ANXA1 gene belongs to the annexin family, and contains 4 annexin repeats. A pair of annexin repeats may form one binding site for calcium and a phospholipid. ANXA1 promotes membrane fusion and is involved in exocytosis. The gene for ANXA1 is upregulated in hairy cell leukemia (HCL), and its protein expression is specific for HCL. Detection of ANXA1 provides a simple, highly sensitive and specific assay for diagnosing HCL. Annexin A1 has also been found to be protective against DNA damage induced by heat in breast cancer cells, suggesting it is involved in tumor suppressive and protective activities, and also is associated with treatment resistance.

### Supplied As

200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

### Storage and Stability

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

### Research Areas

Cardiovascular, Immunology, Cytokine Signaling, Dendritic Cell Marker, Signal Transduction

### Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.