

CD47 / IAP (Integrin Associated Protein) Antibody

Mouse Monoclonal Antibody [Clone IAP/964 + B6H12.2]

Catalog No	Format	Size
961-MSM3-P0	Purified Ab with BSA and Azide at 200ug/ml	20 ug
961-MSM3-P1	Purified Ab with BSA and Azide at 200ug/ml	100 ug
961-MSM3-P1ABX	Purified Ab WITHOUT BSA and Azide at 1.0mg/ml	100 ug


Applications	Tested Dillution	Note
Flow Cytometry (Flow)	1-2ug/million cells	
Immunofluorescence (IF)	1-3ug/ml	
Western Blot (WB)	2-4ug/ml	

Product Details

Clone	IAP/964 + B6H12.2	
Gene Name	CD47	
Immunogen	Recombinant human IAP protein (IAP/964); Intact CD47 Purified from placenta (B6H12.2)	
Host	Mouse	
Clonality	Monoclonal	
Isotype / Light Chain	IgG1 / Kappa	
Mol. Weight of Antigen	~50kDa	
Cellular Localization	Cell membrane	
Species Reactivity	Human	
Positive Control	brain or ovarian tumors., HUVEC or OVCA3 cells. Human placenta, MCF-7	
*Ontimal dilution for a specific app	lication should be determined	

*Optimal dilution for a specific application should be determined.

Product Images for CD47 / IAP (Integrin Associated Protein) Antibody



Immunofluorescence Analysis of PFA-fixed MCF-7 cells. CD47 Mouse Monoclonal Antibody (IAP/964 + B6H12.2) followed by goat anti-Mouse IgG-CF488 (Green). Nuclei are stained with Redot.

Specificity & Comments

This antibody reacts with Ig domain of CD47 protein. CD47, originally named integrin-associated protein (IAP), is a 50kDa protein containing five membrane-spanning sequences and a short cytoplasmic tail. CD47 plays a role in both cell adhesion by acting as an adhesion receptor for THBS1 on platelets, and in the modulation of integrins. It is important in memory formation and synaptic plasticity in the hippocampus. CD47 may play a role in membrane transport and/or integrin dependent signal transduction.

Supplied As

200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage and Stability

Antibody with azide - store at 2 to 8° C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Research Areas

Cardiovascular, Immunology, Immune checkpoint



Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.

