

## Human Immunodeficiency Virus Type-1 p24 (HIV1-p24) Antibody

Mouse Monoclonal Antibody [Clone HIV1-24/661]

Catalog No	Format	Size
MSM1-661-CF488-100T	Purified Ab conjugated to CF488	0.5 ml at 100ug/ml

Applications	Tested Dillution	Note
Immunofluorescence (IF)	1-3ug/ml	

Product Details	
<b>Clone</b>	HIV1-24/661
<b>Immunogen</b>	Recombinant HIV-1 Gag p24 protein
<b>Host</b>	Mouse
<b>Clonality</b>	Monoclonal
<b>Isotype / Light Chain</b>	IgG1
<b>Mol. Weight of Antigen</b>	24kDa (mature); 55kDa & 41kDa (precursors)
<b>Cellular Localization</b>	Host cell membrane, Host cytoplasm, Host endosome, Host multivesicular body, Host nucleus, Membrane, Virion, Virion membrane
<b>Species Reactivity</b>	HIV Type 1
<b>Positive Control</b>	HIV-1 infected cells. Tissues.

*\*Optimal dilution for a specific application should be determined.*

### Product Images for Human Immunodeficiency Virus Type-1 p24 (HIV1-p24) Antibody

#### Specificity & Comments

Human immunodeficiency virus (HIV) is a retrovirus that causes acquired immune deficiency syndrome (AIDS), a condition in humans in which the immune system begins to fail, leading to life-threatening opportunistic infections. HIV mainly infects vital cells in the human immune system such as helper T cells (specifically CD4+ T cells), macrophages and dendritic cells. Two species of HIV infect humans: HIV-1 and HIV-2, with HIV-1 being the more virulent strain. The gag gene of human immunodeficiency virus 1 (HIV-1) encodes a precursor protein known as Pr55Gag. The viral protease PR cleaves this precursor to generate p17, p24, p7, and p6 proteins, which are required for virus particle assembly. HIV-1 Gag p24 is a capsid protein that constitutes the core of AIDS virus HIV-1. p6 and p7 are the components of the nucleocapsid, and p17 provides a protective matrix. HIV-1 Gag p24 is indispensable to the reproduction of AIDS virus and constitutes an essential element for the AIDS virus particle construction. As this protein is detectable from the early stage of AIDS virus infection, its measurement is commonly used as an indicator of HIV-1 infection and viral load.

#### Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.

#### Supplied As

200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA at 1.0mg/ml.

#### Storage and Stability

Antibody with azide - store at 2 to 8°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.